

**DETAILED ACTION**

**EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jason Derry on July 22, 2010.

Cancel claims 19-21, 29 and 30.

Amend claim 26.

26. The method of claim 9 wherein the first DNA sequence of said target vector replaces a CDR2 and a CDR3 region at of said antibody or said single chain antibody.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michele K. Joike whose telephone number is (571)272-5915. The examiner can normally be reached on M-F, 10:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Low can be reached on (571)272-0951. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1636

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Michele K. Joike/  
Primary Examiner, Art Unit 1636

Michele K. Joike  
Primary Examiner  
Art Unit 1636